

Author index

- Amadò, R. 181
Andersson, M. 143
- Barili, P.L. 43
Benaïssa, M. 227
Berti, G. 43
Blaskó, A. 315
Boullanger, P. 91
Brant, D.A. 11
Bunel, S. 315
Bunton, C.A. 315
Busatto, C. 227
- Catelani, G. 43
Chapelle, S. 227
Chevalier, Y. 91
Cini, C. 43
Cotta, M.A. 143
Croizier, M.-C. 91
- D'Andrea, F. 43
Daniel, G. 59
Desbrieres, J. 27
- Ekelöf, K. 289
Enriquez, P. 113
- Ferreira, F. 143
Fringant, C. 27
Fujita, K. 129
- Giuliano, R.M. 345
Gray, G.R. 329
Groman, E.V. 113
- Hara, K. 129
Hasegawa, R. 301
Hashimoto, H. 129
Havlíček, V. 59
Hicks, K.B. 1
- Hlaïbi, M. 227
Hotchkiss, Jr, A.T. 1
- Ibarra, C. 315
Irwin, P.L. 1
Itazu, K. 195
Iversen, T. 339
- Jann, B. 155
Jann, K. 155
Jung, C. 113
- Kamitori, S. 195
Kenne, L. 143
Khan, S.H. 351
Khripach, N.B. 71
Kitahata, S. 129
Kitamura, S. 195, 301
Kochanowski, H. 155
Koizumi, K. 129
- Lafont, D. 91
Larsson, P.T. 339
Latxague, L. 257
Lehmann, J. 167
Liu, H.-S. 11
- Manetta, V.E. 345
Manley-Harris, M. 363
Manzardo, G.G.G. 181
Mastrorilli, E. 43
Matta, K.L. 351
Mazeau, K. 27
Menz, E. 113
Mikhailopulo, I.A. 71
Misra, A.K. 103
Moraga, E. 315
- Niederer, I.B. 181
Noguchi, K. 195

Oh, I.H. 329
Ohguchi, Y. 301
Ohno, S. 195
Okada, Y. 129
Okuyama, K. 195
Oscarson, S. 271, 289

Peng, J. 239
Poopeiko, N.E. 71
Prescott, J.H. 113
Přikrylová, V. 59

Rabenstein, D.L. 239
Richards, G.N. 363
Rinaudo, M. 27
Rob, B. 167
Robert, J.M. 239
Rollin, P. 257
Roy, N. 103

Sancho, M.-R. 91
Sedmera, P. 59
Seltmann, G. 155
Shashkov, A. 155

Simms, P.J. 1
Sivets, G.G. 71
Smith, G.R. 345
Stack, R.J. 143
Streicher, H. 257

Takeo, K. 195, 301
Tanimoto, T. 129
Tdebark, U. 271
Thiem, J. 257
Torgov, V. 155
Tvaroska, I. 27

Verchère, J.-F. 227
Volc, J. 59

Wagenknecht, H.-A. 167
Westermarck, U. 339
Wiemann, T. 257

York, W.S. 205

Zhu, Z.S. 11

Subject index

Acceptor analog

Synthesis of 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 2)- α -D-mannopyranosyl-(1 \rightarrow 6)- β -D-mannopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

N-Acetylglucosaminyltransferase-V

Synthesis of 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 2)- α -D-mannopyranosyl-(1 \rightarrow 6)- β -D-mannopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

Aldonitrile peracetates

A reinvestigation of the derivatization of monosaccharides as aldonitrile peracetates 181

Aldose oxime peracetates

A reinvestigation of the derivatization of monosaccharides as aldonitrile peracetates 181

2-Amino-2-deoxy-D-glucose

Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- β -D-glucopyranosides 91

Amphiphiles

Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- β -D-glucopyranosides 91

Amylopectin

Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363

Amylose

Hydration of α -maltose and amylose: molecular modelling and thermodynamics study 27

1,6-Anhydro- β -maltotriose derivatives

Molecular and crystal structures of two 1,6-anhydro- β -maltotriose derivatives 195

Arabinogalactan

Larch arabinogalactan for hepatic drug delivery: isolation and characterization of a 9 kDa arabinogalactan fragment 113

Bacterial antigens

Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- β -D-glucopyranosyl- α -D-glucopyranosyl)- α -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289

Bacterial polysaccharide

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

4,6-*O*-Benzylidene-D-glucopyranose

4,6-*O*-Benzylidene-D-glucopyranose and its sodium salt: new data on their preparation and properties 43

4,6-*O*-Benzylidene-D-glucopyranose sodium salt

4,6-*O*-Benzylidene-D-glucopyranose and its sodium salt: new data on their preparation and properties 43

Borane · methyl sulfide

Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

Boron–amine complexes

Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

Boron trifluoride etherate

Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

Butyrivibrio fibrisolvens

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

Carbohydrates

Syntheses of deoxy analogues of methyl 3,6-di-*O*- α -D-mannopyranosyl- α -D-mannopyranoside for studies of the binding site of Concanavalin A 271

Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- β -D-glucopyranosyl- α -D-glucopyranosyl)- α -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289

(1-Carboxyethyl)hexose

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

Cellulose I α

Determination of the cellulose I α allomorph content in a tunicate cellulose by CP/MAS 13 C-NMR spectroscopy 339

Cellulose I β

Determination of the cellulose I α allomorph content in a tunicate cellulose by CP/MAS 13 C-NMR spectroscopy 339

 14 C-labelled

Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- β -D-glucopyranosides 91

 13 C NMR

Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α -galactosidase from coffee bean 129
A 13 C and 183 W NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227

Cobalt

Complexes of Co(III) with L-sorbose and phenanthroline 315

Competitive inhibition

Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167

Complexes

Complexes of Co(III) with L-sorbose and phenanthroline 315

Conformation

Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239

Conformational dynamics

The dependence of glucan conformational dynamics on linkage position and stereochemistry 11

Cyclic guanidines

Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167

Cyclomaltoheptaose (β -cyclodextrin)

High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β -cyclodextrin) bonded-phase column 1

Deoxy derivatives

Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257

6-Deoxy-L-talose

NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155

Deoxy sugars

Syntheses of deoxy analogues of methyl 3,6-di-*O*- α -D-mannopyranosyl- α -D-mannopyranoside for studies of the binding site of Concanavalin A 271

Differential scanning calorimetry

Hydration of α -maltose and amylose: molecular modelling and thermodynamics study 27

D-Glucose

Conversion of D-glucose to D-erythro-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59

D-glycero-D-gulo-heptonic acid

A 13 C and 183 W NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227

Epimerization

Oxidation-reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71

Escherichia coli O45 and O66 antigens

NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155

Extracellular polysaccharide

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

FABMS

Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides

- (cyclodextrins) produced by transgalactosylation with α -galactosidase from coffee bean 129
- Fluorodeoxy pentofuranosides
Oxidation-reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71
- Fructosyl
Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- α -Galactosidase, coffee bean
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α -galactosidase from coffee bean 129
- Galactosyl cyclodextrin
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α -galactosidase from coffee bean 129
- GC
A reinvestigation of the derivatization of monosaccharides as aldonitrile peracetates 181
- Glucan
The dependence of glucan conformational dynamics on linkage position and stereochemistry 11
A conformational model for cyclic β -(1 \rightarrow 2)-linked glucans based on NMR analysis of the β -glucans produced by *Xanthomonas campestris* 205
- Glucobrassicin
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Glucosinolates
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Glucotropaeolin
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Glycoconjugates
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-O-(3,4,6-tri-O- β -D-glucopyranosyl- α -D-glucopyranosyl)- α -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
- Glycosidation
Synthesis of (1 \rightarrow 4)- β -D-xylo-oligosaccharides of dp 4-10 by a blockwise approach 301
- Glycoside hydrolases
Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
- Glycosyltransferase
Synthesis of 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 2)- α -D-mannopyranosyl-(1 \rightarrow 6)- β -D-mannopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor-substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351
- Glycosyltransferase assay
Synthesis of 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 2)- α -D-mannopyranosyl-(1 \rightarrow 6)- β -D-mannopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor-substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351
- Heparin
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- Heparin-metal binding
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- Hepatic drug delivery
Larch arabinogalactan for hepatic drug delivery: isolation and characterization of a 9 kDa arabinogalactan fragment 113
- Hexadecagluco-side, cyclic
A conformational model for cyclic β -(1 \rightarrow 2)-linked glucans based on NMR analysis of the β -glucans produced by *Xanthomonas campestris* 205
- D-erythro-Hexos-2,3-diulose
Conversion of D-glucose to D-erythro-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59
- ¹H NMR spectroscopy
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- HPLC
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β -cyclodextrin) bonded-phase column 1
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α -galactosidase from coffee bean 129
- Hydration
Hydration of α -maltose and amylose: molecular modelling and thermodynamics study 27
- Hydrogen bonding
Hydration of α -maltose and amylose: molecular modelling and thermodynamics study 27

- N*-Hydroxyglycofuranosylamine peracetates
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181
- Imines, *N*-phosphinyl
Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345
- Kdo
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- β -D-glucopyranosyl- α -D-glucopyranosyl)- α -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
- Keto sugars
Oxidation-reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71
- Klebsiella* type 2
Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
- Lectin interactions
Syntheses of deoxy analogues of methyl 3,6-di-*O*- α -D-mannopyranosyl- α -D-mannopyranoside for studies of the binding site of Concanavalin A 271
- Linkage position
The dependence of glucan conformational dynamics on linkage position and stereochemistry 11
- Maltose
Hydration of α -maltose and amylose: molecular modelling and thermodynamics study 27
- Model, conformational
A conformational model for cyclic β -(1 \rightarrow 2)-linked glucans based on NMR analysis of the β -glucans produced by *Xanthomonas campestris* 205
- Molecular modelling
Hydration of α -maltose and amylose: molecular modelling and thermodynamics study 27
- Monosaccharides
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181
- ²³Na NMR spectroscopy
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- NMR
Determination of the cellulose I α allomorph content in a tunicate cellulose by CP/MAS ¹³C-NMR spectroscopy 339
- NMR analysis
NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155
- Non-freezing water
Hydration of α -maltose and amylose: molecular modelling and thermodynamics study 27
- Oligogalacturonic acids
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β -cyclodextrin) bonded-phase column 1
- Oligosaccharide
Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
- Oligosaccharides, D-xylo-
Synthesis of (1 \rightarrow 4)- β -D-xylo-oligosaccharides of dp 4-10 by a blockwise approach 301
- Oligosaccharide synthesis
Syntheses of deoxy analogues of methyl 3,6-di-*O*- α -D-mannopyranosyl- α -D-mannopyranoside for studies of the binding site of Concanavalin A 271
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- β -D-glucopyranosyl- α -D-glucopyranosyl)- α -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
Synthesis of 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 2)- α -D-mannopyranosyl-(1 \rightarrow 6)- β -D-mannopyranosyl-(1 \rightarrow 4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor-substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351
- Oudemansiella mucida*
Conversion of D-glucose to D-erythro-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59
- Oximes
Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345
- Pectin
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose (β -cyclodextrin) bonded-phase column 1
- Phenanthroline
Complexes of Co(III) with L-sorbose and phenanthroline 315
- Polygalacturonic acid
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomal-

- toheptaose (β -cyclodextrin) bonded-phase column 1
- Polysaccharide
- Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329
- Polysaccharide structures
- NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155
- X-Ray structure
- Molecular and crystal structures of two 1,6-anhydro- β -maltotriose derivatives 195
- Reductive cleavage
- Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329
- Relaxation times
- Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- Single crystal
- Molecular and crystal structures of two 1,6-anhydro- β -maltotriose derivatives 195
- Soluble starch
- Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- L-Sorbose
- Complexes of Co(III) with L-sorbose and phenanthroline 315
- Stereochemistry
- The dependence of glucan conformational dynamics on linkage position and stereochemistry 11
- Structural elucidation
- Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143
- Sugars, amino, synthesis
- Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345
- Surfactant
- Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- β -D-glucopyranosides 91
- Synthesis
- Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
 - Synthesis, blockwise
 - Synthesis of (1 \rightarrow 4)- β -D-xylo-oligosaccharides of dp 4–10 by a blockwise approach 301
- Tetrasaccharide repeating unit
- Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
- Thermal transfer
- Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- Thermolysis
- Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- 1-Thioglucopyranose
- Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Transgalactosylation
- Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with α -galactosidase from coffee bean 129
- Transition-state analogues
- Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
- Tungstate complexes
- A ^{13}C and ^{183}W NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227
- Tunicate cellulose
- Determination of the cellulose I α allomorph content in a tunicate cellulose by CP/MAS ^{13}C -NMR spectroscopy 339
- ^{183}W NMR
- A ^{13}C and ^{183}W NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227
- Xanthomonas campestris*
- A conformational model for cyclic β -(1 \rightarrow 2)-linked glucans based on NMR analysis of the β -glucans produced by *Xanthomonas campestris* 205